

HER
1237

Identification

<i>Genus</i> Halobacterium	<i>Species</i> salinarum	<i>Subspecies</i>	<i>Strain</i> NRC 34001
-------------------------------	-----------------------------	-------------------	----------------------------

Aliases

Growth conditions

<i>Temp.</i> 37	<i>Medium</i> 3.5S	<i>Aerobic/Anaerobic</i>	<i>Agitation</i>	<i>Other</i>
--------------------	-----------------------	--------------------------	------------------	--------------

Lysogeny

Phage sensitivity

HER 237 (S45)

HER 343 (Ja.1)

Reference

Lockhead, A.G. 1934. Can. J. Res. 10: 275-286.

Remark

Also held in the NRC permanent collection (no. 34001) and in the ATCC collection (no. 33170)

For reproducible results, it is best to maintain the organism in log phase in broth, checking frequently that the cells demonstrate regular morphology and appear as slender rods. Log phase cultures can be refrigerated for 2-3 weeks.

History

History

Received from

Dr Allen C. Wais, Department of Biochemistry, Faculty of Medicine, U.W.I. Mona, Kingston 7, Jamaica, West Indies

Date

3-22-1985

Received from

R.E. MacDonald, Cornell University, Ithaca, NY, USA

Date

02-1973

Received from

D.J. Kushner, Dept. Of Biology, University of Ottawa

Date

Isolated by

A.G. Lockhead, Division of Bacteriology, Dominion Experimental Farms, Ottawa, Canada.

Date

1934

Last update

2012-02-24