

*HER number*  
131

## Identification

<i>Name</i> 131	<i>Morphotype</i> C1 (Podophage)	<i>Other designations</i> TB, Tbilisi
--------------------	-------------------------------------	--


## Taxonomy

<i>Realm</i>	<i>Kingdom</i>	<i>Phylum</i>	<i>Class</i>
<i>Order</i>	<i>Family</i> ?1	<i>Genus</i> <i>Perisivirus</i>	<i>Species</i> <i>Perisivirus Tb</i>

## Images

### *Electron Micrograph*

*Image*  
FHRCEV



### *Image description*

Magnification: 297,000X  
Bar: 50 nm  
Staining: PTA

### *Characteristics*

Plaques: 0.5- 1mm, clear, sloping borders.  
Host is class III pathogen.  
Albimi broth, Serum dextrose agar.  
Growth time = 36 h.

### *Genomic sequence*

Activated

Propagation conditions	
<i>Bacterial hosts</i> 1131	
<i>Reference</i> Brinley-Morgan, W. J. D. Kay, and D. E. Bradley. 1960. *Brucella* bacteriophage. Nature (London). 188:74-75.	
<i>Remarks</i>	
History	
<i>History</i>	
<b>Isolated by</b> M. Z. Popkhadze, and T. G. Abashidze. In Tiflis, Georgia, URSS	<b>Date</b>
<b>Received from</b> M. J. Corbel, FAO/WHO Collaborating Centre for Reference and Research on Brucellosis, Ministry of Agriculture, Fisheries and Food, Central Veterinary Laboratory, New Haw, Weybridge, Surrey, England, KT15 3NB	<b>Date</b> 22-06-1982
<i>Source</i> Liquid manure of cowshed.	
<i>Updated at</i> 2024-01-16	