Phage HER 191

HER number
191

Identification

Name	*Morphotype*	*Other designations*	
θc	B3 (Siphophage)	BLE	

Taxonomy

Realm	*Kingdom*	*Phylum*	*Class*
Duplodnaviria	*Heunggongvirae*	*Uroviricota*	*Caudoviricetes*
Order	*Family*	*Genus*	*Species*

Images

Electron Micrograph	*Image description*
Characteristics Plaques: 1.0 mm, clear.	*Genomic sequence* Deactivated

Propagation conditions

Bacterial hosts
1190

Reference
Doskocil, J., J. Forstova, and J. Stokrova. 1978. Temperate and virulent forms of phage &theta ;attacking *Bacillus licheniformis*. Mol. Gen. Genet. 160:311-317.

Remarks

Phage BLE was isolated from the same batch independantly by Dr Ludvik:
Ludvik, J., L. Erbenova, and H. Lipavska. 1977. Ultrastructure of *Bacillus licheniformis* bacteriophage BLE and its DNA. Virology 77:872-875.

History

History

Received from
Dr. J. Doskocil
Institute of Molecular Genetics
Flemingovo nàm. 2,
16637 Praha 6,
Czechoslovakia

Date
09-20-1983

Isolated by
J. Doskocil
Kourim,
Czechoslovakia

Date
1975

Source
A lysed industrial batch of *B. licheniformis* 10716.

Updated at
2024-01-16