

HER number
275

Identification

<i>Name</i> 275	<i>Morphotype</i> B3 (Siphophage)	<i>Other designations</i>	
--------------------	--------------------------------------	---------------------------	--

Taxonomy

<i>Realm</i>	<i>Kingdom</i>	<i>Phylum</i>	<i>Class</i>
<i>Order</i>	<i>Family</i> ?1	<i>Genus</i>	<i>Species</i>

Images

Electron Micrograph

Image

FHRCBV




Image description

Magnification: 297,000X

Bar: 50 nm

Staining: UA

<i>Characteristics</i>	<i>Genomic sequence</i>
<p>Veiled plaques of 0.5 mm.</p> <p>Long narrow head.</p> <p>Shiga-like toxin converting.</p> <p>UV inducible.</p> <p>Plaques on *E. coli* K12 395-1 and *E. coli* HB101.</p> <p>Genome contains lambda genes.</p>	<p>Deactivated</p>

Propagation conditions

Bacterial hosts

1275

Reference

O'Brien, A., J.W. Newland, S.F. Miller, R.K. Holmes, H.W. Smith, and S.B. Formal. 1984. Shiga-like toxin-converting phages from *Escherichia coli* that cause hemorrhagic colitis or infantile diarrhea. Science 226: 694-696.

Newland, J.W., N.A. Strockbine, S.F. Miller, A. O'Brien, and R.K. Holmes. 1985. Cloning of Shiga-like toxin structural genes from a toxin-converting phage of *Escherichia coli*. Science 230: 179-181.

Remarks

History

History

Received from

Lysogenic strain (HER 1271) from
Dr Alison D. O'Brien
Uniformed Services University of the Health Sciences
Department of Defense
4301 Jones Bridge Road, Bethesda, MD 20814
USA

Date

02-02-1986

Isolated by

R. Janvier and H.-W. Ackermann
Université Laval
(First isolation by J.W. Newland, laboratory of O'Brien)

Date

12-1986

Source

Lysogenic bacterium HER 1271 after UV induction

Updated at
2024-01-19