

HER
1237

Identification

<i>Genre</i> Halobacterium	<i>Espèce</i> salinarum	<i>Sous-espèce</i>	<i>Souche</i> NRC 34001
-------------------------------	----------------------------	--------------------	----------------------------

Autres désignations

Conditions de croissance

<i>Temp.</i> 37	<i>Milieu</i> 3.5S	<i>Aérobic/Anaérobic</i>	<i>Agitation</i>	<i>Autres</i>
--------------------	-----------------------	--------------------------	------------------	---------------

Lysogénie

Sensibilité phagique

HER 237 (S45)

HER 343 (Ja.1)

Référence

Lockhead, A.G. 1934. Can. J. Res. 10: 275-286.

Remarque

Also held in the NRC permanent collection (no. 34001) and in the ATCC collection (no. 33170)

For reproducible results, it is best to maintain the organism in log phase in broth, checking frequently that the cells demonstrate regular morphology and appear as slender rods. Log phase cultures can be refrigerated for 2-3 weeks.

Historique

Historique

Received from

Dr Allen C. Wais, Department of Biochemistry, Faculty of Medicine, U.W.I. Mona, Kingston 7, Jamaica, West Indies

Date

3-22-1985

Received from

R.E. MacDonald, Cornell University, Ithaca, NY, USA

Date

02-1973

Received from

D.J. Kushner, Dept. Of Biology, University of Ottawa

Date

Isolated by

A.G. Lockhead, Division of Bacteriology, Dominion Experimental Farms, Ottawa, Canada.

Date

1934

Dernière mise à jour

2012-02-24