

Numéro HER
77

Identification

Nom N4	Morphotype C1 (Podophage)	Autres désignations N4+	
-----------	------------------------------	----------------------------	--

Taxonomie


Domaine <i>Duplodnaviria</i>	Règne <i>Heunggongvirae</i>	Embranchement Uroviricota	Classe <i>Caudoviricetes</i>
Ordre	Famille <i>Schitoviridae</i>	Genre <i>Enquatrovirus</i>	Espèce <i>Enquatrovirus N4</i>

Images

Photo en microscopie électronique

Image

FHRCBV



Description de l'image

Magnification: 297,000X

Bar: 50 nm

Staining: UA

Caractéristique

Plaques: 0.1mm, clear, no halo.
Early transcription is carried out by virion-encapsulated RNA polymerase.
Extensive collection of mutants available from Dr Rothman-Denes.
12 tail fibers originating at the neck.

Séquence génomique

Activé

Conditions de propagation

Hôtes bactériens

1077

Référence

Molina, A. M., A. Pesce, and G. C. Shito. 1965. Un nuovo batteriofago attivo sul ceppo K12 di *E. coli*. I. Caratteristiche biologiche. Boll. Ist. Sieroter. Milan. 44:329-337.

Remarque

Also held at the DSMZ collection under DSM 112144.

Historique

Historique

Received from

Prof. L. B. Rothman-Denes,
Department of biophysics and theoretical biology,
University of Chicago,
920 East 58th Street,
Chicago, IL 60637,
USA.

Date

22-03-1982

Received from

Prof. G. C. Schito,
Institut of microbiology,
University of Parma, Italy.

Date

1971

Isolated by

Prof. G. C. Schito,
Genoa, Italy.

Date

1965

Source

Sewage

Dernière mise à jour

2024-01-16