Phage HER 131

Numéro HER
131

Identification


Nom	*Morphotype*	*Autres désignations*	
Tb	C1 (Podophage)	TB, Tbilisi	

Taxonomie

Domaine	*Règne*	*Embranchement*	*Classe*
Duplodnaviria	*Heunggongvirae*	*Uroviricota*	*Caudoviricetes*
Ordre	*Famille*	*Genre*	*Espèce*
		Perisivirus	*Perisivirus Tb*

Images

Photo en microscopie électronique
Image



Description de l'image
Magnification: 297,000X
Bar: 50 nm
Staining: PTA

Caractéristique

Plaques: 0.5- 1mm, clear, sloping borders.
Host is class III pathogen.
Albimi broth, Serum dextrose agar.
Growth time = 36 h.

Séquence génomique

Activé

Conditions de propagation

Hôtes bactériens

1131

Référence

Brinley-Morgan, W. J. D. Kay, and D. E. Bradley. 1960. *Brucella* bacteriophage. Nature (London). 188:74-75.

Remarque

Historique

Historique

Received from

M. J. Corbel,
FAO/WHO Collaborating Centre for Reference and Research on Brucellosis,
Ministry of Agriculture, Fisheries and Food,
Central Veterinary Laboratory,
New Haw, Weybridge, Surrey, England,
KT15 3NB

Date

06-22-1982

Isolated by

M. Z. Popkhadze, and T. G. Abashidze.
In Tiflis, Georgia,
URSS

Date

Source

Liquid manure of cowshed.

Dernière mise à jour
2024-01-16