

HER number 192					
Identification					
Name 192	<i>Morphotype</i> B1 (Siphophage)	Other designations			
Taxonomy					
Realm	Kingdom	Phylum	Class		
Order	Family ?1	Genus	Species		
Images					
Electron Micrograph Image FHRCBV HIW.ACKE FMIANN		Image description Magnification: 297,000X Bar: 50 nm Staining: UA			

Characteristics Plaques: 1 mm, clear with halo. Genome of 63.8 kb. Occurs in temperate (LP52) and lytic (LP52c) forms. Restriction map is identical with that of phage LP51. Genomic DNA shows 50% cross-hybridization with the DNA of phage c.	Genomic sequence Deactivated
---	---------------------------------

Propagation conditions

Bacterial hosts 1190

Reference

Thorne, C.B., and B.B. Kowalski. 1976. Temperate bacteriophages for *Bacillus licheniformis*. In Microbiology, edited by D. Schlessinger, American Society for Microbiology, Washington D.C., p. 302-314.

Imanaka, T., K. Uchida, M. Tateishi, S. Aiba. 1979. Inducible bacteriophages of *Bacillus licheniformis* ATCC 10716. Virology 95:249-250.

Remarks

History

History Received from Prof. Curtis B. Thorne Department of Microbiology University of Massachusetts Amhersy, Massachusetts 01002, USA	Date		
Isolated by Prof. Curtis B. Thorne University of Massachusetts, Amherst, USA	Date 1976		
Received from Dr. J. Doskocil Institute of Molecular Genetics Flemingovo nàm. 2, 16637 Praha 6, Czechoslovakia	Date 20-09-1983		
Source Bacterial strain 10716 induced with mitomycin C (0.5mg/ml)			
Updated at 2024-01-16			